















Move Beautifully


Let's change mobility by mixing technology and art, and good ideas with good design.

Let's show the world that functionality is fun, and practicality is beautiful.

Let's make the start button a trigger button—every time it pushes, it transforms Monday mornings rides, school runs, traffic jams, and last-minute-we-don't-have-bread calls into something exciting.

Let's keep elevating even the most mundane ride, and making the journey the best part of the day.





QUICK AND SPORTY

- ABS/ASR system
- Electronic Ride-By- Wire throttle and dual STD/ECO map
- Practical three-section glove compartment under the windscreen with USB socket
- Helmet compartment with assisted opening, large enough to hold two full-face helmets
- Kickstandless parking system thanks to the electronic suspension lock
- Seat opening remote control with Bike Finder \
 (turn indicators flash with remote control)
- Black trim, matte grey diamond edge wheel rims, and exclusive matt color schemes
- Large underseat storage compartment that will hold a small laptop.



NERO OPACO CARBONIO (USA MY18) (CAN MY18)

> VERDE OPACO (USA MY18) *LIMITED EDITION

500 ie LT ABS/ASR

MP3 SPORT







HICLE PHOTOS MAY REFLECT EUROPEAN MODELS A

THRILLS ON THE ROAD

Saddle opening remote control with Bike Finder (turn signals flash with remote control)

- USB socket
- ABS/ASR system
- Spacious helmet compartment, large enough to hold two open-face helmets
- Refined and sporty style with smoked top fairing standard

350 ie ABS/ASR

BV 350



NERO OPACO CARBONIO with black saddle (USA MY17) (CAN MY16)

BIANCO STELLA with black saddle (USA MY17) (CAN MY17)

ROSSO VIGNOLA with black saddle (USA MY17) (CAN MY17)



Move Beautifully

METROPOLITAN SOUL



I-GET: STANDING FOR "ITALIAN GREEN EXPERIENCE TECHNOLOGY" IS A MODULAR ENGINE FAMILY THAT FOCUSES ON INCREASED TORQUE AT LOW RPMS. DURABILITY AND LOWER MAINTENANCE.

- ABS standard on 150cc
- New, air-cooled i-get engines
- Helmet compartment large enough to hold an open-face helmet with visor and front glove compartment for small items
- Low seat and foldaway passenger footpegs for greater comfort
- Available in economical 50cc and sporty 150cc

150 ie ABS 50 4T

LIBERTY S



LIBERTY

BIANCO PERLA (USA 50/150 MY18) (CAN 50/150 MY18)

BLU MIDNIGHT (USA 50/150 MY18) (CAN 50/150 MY18)

LIBERTY S

GRIGIO OPACO TITANIO (USA 150 MY18) (CAN 50/150 MY18)

ROSSO IBIS (USA 150 MY18) (CAN 50/150 MY18)



FUNCTIONAL Low fuel consumption Mini GT comfort / compact dimensions AND COMPACT Excellent comfort thanks to the low seat Helmet compartment for two openhelmets with visors Maximum functionality thanks to the footboard and the fuel cap in the leg shield

SIMPLE AND FUN

(USA 50/125 MY17) (CAN 50 MY17)





125 50 4T

TYPHOON

(CAN 50 MY17)

Compact dimensions and flat footboard

Spacious helmet compartment, large

enough to hold a full-face helmet

Wide tires

150

50 4T

FLY

NERO GRAFITE (USA 50/150 MY17) **BIANCO PERLA** (USA 50/150 MY17) **BLU MIDNIGHT** (USA 50/150 MY17)

A WORLD OF ACCESSORIES

MP3

•	Large top box kit with mounting plate
	(can hold two full-face helmets)
	Grigio Opaco

Grigio Opaco	CM261506
Nero Opaco Carbonio	CM261505
Verde Opaco	CM261517

Medium top box kit with mounting plate (can hold one full-face helmet and one jet helmet)

Grigio Opaco	CM261606
Nero Opaco Carbonio	CM261605
Verde Opaco	CM261617

Quick-release thermoformed bags

Sidebags Kit 21L Each	1B002049
Sidebag Mounts	1B002032
30L Topbox	1B002052
Topbox Mount	1B002054

Heated comfort items

Heat level controller 25	000122
Lap blanket	76M011
Heating element for lap blanket 25	000124
Heated grips	S000121

- Outdoor vehicle cover . . 605093M001
- Antitheft

Handlebar lock	605537M028
Electronic alarm	602687M001

Smartphone support kit

Phone holder 4.3 in	605923M004
Phone holder 5.5 in	.605923M005

PMP Piaggio Multimedia Platform

Multimedia ECU	 1D000763
PMP install kit	 2S000145

Piaggio sound system

Sound system.	
Wiring harness	 2S00014

Comfort saddle

Brown	.25000119
Black	25000137

BV 350

48L topbox	
Bianco Stella	1B00023200BU
Rosso Ibis	1B00023200NO

37L topbox

Installation kit
Nero Carbonio
Bianco Stella
Rosso Ibis
Argento Cometa

- Windscreen1B000945
- Outdoor vehicle cover . . 605290M003
- Indoor vehicle cover 605414M

FLY

Topbox kit

Nero Grafite 67511300NF	J
Bianco Perla	•
Blu Midnight 67511300DE	:
Textured Black	,

Antitheft

Handlebar lock	605537M00
Electronic alarm	602958N
Alarm cable	602691M00

• Vehicle cover605290M004

TYPHOON

Windscreen	n1B00	0058

- Topbox kit 672924
- Saddle-handlebar anti-theft system..... 605537M006

LIBERTY

vvindscreen	IB002633
Flyscreen	1B003682

Topbox (can hold one full-face helmet or two P-Style jet helmets)

1100
1103
1106
1113
2187

Backrest for topbox color coded to match the saddle

Liberty		 	 	 	.CM260405
Liberty !	S	 	 	 	.CM260406

- Topbox install kit 1B002447
- Leg cover 606247M
- Outdoor vehicle cover 606248M

• Saddle-handlebar anti-theft system...... 605537M029

Electronic alarm

larm	1D001230
nstall kit	1D001284

• PMP Piaggio Multimedia Platform

Multimedia ECU	606409M
PMP install kit	1D001312

• Wireless key fob 1D001223

Piaggio sound system

Sound system	
LISB socket kit	10001558

Side stand 1C	001823
---------------	--------

Rubber floormat	1B002671

Smartphone support kit

Phone holder 4.3 in	605923M004
Phone holder 5.5 in	.605923M005

TECHNICAL SPECIFICATIONS

	2018 MP3 SPORT	2017 BV 350
	500 ie LT	350 ie
Engine	Single cylinder, 4-stroke, 4 valves	Single cylinder, 4-stroke, 4 valves
Engine capacity	493 сс	330 cc
Bore x Stroke	94 mm x 71 mm	78 mm x 69 mm
Power	38.2 HP <28.5 kW> @ 7,250 rpm	29.8 HP <22.2 kW > @ 8,250 rpm
Torque	33.6ft lbs <45.5 Nm> @ 5,000 rpm	21.4 ft lbs <29 Nm> @ 6,250 rpm
Fuel system	Electronic injection	Electronic injection
Cooling system	Liquid	Liquid
Lubrication	Wet sump	Wet sump
Starter	Electric	Electric
Gearbox	CVT continuously variable transmission with torque server	CVT continuously variable transmission with torque server
Clutch	Automatic centrifugal dry clutch	Automatic centrifugal dry clutch
Frame	Double cradle in high strength tubular steel	Double cradle in high strength tubular steel
Front suspension	Articulated quadrilateral with locking ability for parking	Hydraulic telescopic fork
Rear suspension	Dual hydraulic shock absorbers adjustable in preload	Dual hydraulic shock absorbers adjustable in preload
Front brake	Dual hydraulicaly actuated 258 mm discs	300 mm disc with hydraulic control
Rear brake	240 mm disc with hydraulic control, combined braking from foot pedal	240 mm disc with hydraulic control
Front tire	Tubeless 110/70 - 13	Tubeless 110/70 - 16
Rear tire	Tubeless 140/70 - 14	Tubeless 150/70 - 14
ABS/ASR	ABS / ASR	ABS / ASR
Length/Width/ Wheelbase	87.6 in / 31.5 in / 60 in <2,225 mm / 800 mm / 1,540 mm>	86.2 / 30.7 / 61.4 in <2,190 mm / 780 mm / 1,560 mm>
Saddle height	31.1 in <790 mm>	31.2 in <795 mm>
Fuel tank capacity	3.2 Gal <12 L>	3.3 Gal <12 L>
Electronics	Piaggio PMP Multimedia Kit Ready, Piaggio Sound System Ready, Remote seat unlock, USB power socket	USB power socket

The company reserves the right to make technical, style and appearance changes at any time. Ride carefully and always wear a dot approved helmet and appropriate riding apparel

Comply with the highway code and environmental regulations. Read the user and maintenance handbook carefully. Always ask original spare parts and accessories. Official Piaggio dealers carry original Piaggio spare parts and accessories are trained to give professional vehicle care to your scooter and can provide assistance for the best purchasing experience and Piaggio original spare parts are warranted by Piaggio's manufacturer limited warranty and are designed for consistent vehicle performance.

2018 LIBERTY / LIBERTY S	2017 FLY	2017 TYPHOON
150 ie (50 4T)	150 ie (50 4T)	125 (50)
i-get single cylinder 4-stroke, 3 valves	Single cylinder, 4-stroke 3 valves (2 valves)	Single cylinder, 4-stroke 2 valves
155 cc (49.9 cc)	155 cc (49.9 cc)	124 cc (49.4 cc)
58 mm x 58.6 mm (39 mm x 41.8 mm)	58mm x 58.6 mm (39 mm x 41.8 mm)	57 mm x 48.6 mm (39 mm x 41.35 mm)
12.9 HP <9.6 kW> @ 7,750 rpm (3.2 HP <2.4 kW> @ 7,500 rpm)	12.1 HP <9 kW> @ 7,000 rpm (3.5 HP <2.6 kW> @ 8,500 rpm)	9.3 HP <6.8 kW> @ 8,500 rpm (4.6 HP <3.4 kW> @ 9,500 rpm)
9.6 ft lbs <13 Nm> @ 6,500 rpm (2.3 ft lbs <3.1 Nm> @ 7,250 rpm)	9.6 ft lbs <13 Nm> @ 7,000 rpm (2.4 ft lbs <3.3 Nm> @ 6,500 rpm)	6.0 ft lbs <8.2 Nm> @ 7,500 rpm (2.8 ft lbs <3.8 Nm> @ 8,000 rpm)
Electronic injection	Electronic injection (Carburetor)	Carburetor
Forced Air	Forced Air	Forced Air
Wet sump	Wet sump	Wet sump
Electric	Electric (Electric and Kickstart)	Electric (Electric and Kickstart)
CVT continuously variable transmission with torque server	CVT continuously variable transmission with torque server	CVT continuously variable transmission with torque server
Automatic centrifugal dry clutch	Automatic centrifugal dry clutch	Automatic centrifugal dry clutch
Single cradle structure in high strength tubular steel	Single cradle structure in high strength tubular steel	Single cradle structure in tubular steel with pressed reinforcements
Hydraulic telescopic fork	Hydraulic telescopic fork	Hydraulic telescopic fork
Hydraulic shock absorber adjustable in preload	Hydraulic shock absorber adjustable in preload	Hydraulic shock absorber
240 mm disc with hydraulic control	220 mm disc with hydraulic control	220 mm disc with hydraulic control
140 mm drum	140 mm drum	140 mm drum
Tubeless 90/80 - 16	Tubeless 120/70 - 12	Tubeless 120/80 - 12
Tubeless 100/80 - 14	Tubeless 120/70 - 12	Tubeless 130/80 - 12
ABS Front wheel	-/-	-/-
76.6 in / 27.2 in / 52.8 in <1,945 mm / 690 mm / 1,340 mm>	72.8 in / 28.3 in / 32.1 in <1,850 mm / 720 mm / 1,325 mm>	76.4 in / 28.3 in / 53.1 in <1,940 mm / 720 mm / 1,350 mm>
31.1 in <790 mm> (30.7 in <780 mm>)	29.9 in <760 mm>	30.1 in <765 mm>
1.6 Gal / .39 Gal reserve <6 L / 1.5 L reserve >	1.8 Gal / .39 Gal reserve <7 L / 1.5 L reserve >	1.8 Gal / .39 Gal reserve <7 L / 1.5 L reserve >
Piaggio PMP Multimedia Kit Ready, Piaggio Sound System Ready, Remote seat unlock, USB power socket		data referring to these versions are indicated in brackets when differ **all specs shown here are MY17 except where no



© PIAGGIO GROUP AMERICAS, INC. 2017. PIAGGIO®, THE PIAGGIO LOGO, AND THE PIAGGIO SHIELD ARE A U.S. AND WORLDWIDE REGISTERED TRADEMARK OF THE PIAGGIO GROUP OF COMPANIES. OBEY LOCAL TRAFFIC SAFETY LAWS AND ALWAYS WEAR A DOT APPROVED HELMET, APPROPRIATE EYEWEAR AND PROPER APPAREL. READ THE USER AND MAINTENANCE BOOK CAREFULLY. RIDE SAFELY AND DO NOT RACE OTHER VEHICLES. PIAGGIO GROUP AMERICAS RESERVES THE RIGHT AT ANY TIME TO DISCONTINUE OR CHANGE SPECS, PRICES, DESIGNS, FEATURES, ACCESSORIES OR EQUIPMENT WITHOUT INCURRING ANY OBLIGATION OR LABILITY. NOT ALL COLORS ARE AVAILABLE IN ALL REGIONS. CONTACT YOUR LOCAL DEALER FOR SPECIFIC AVAILABILITY. SOME OEM PIAGGIO® ACCESSORIES MAY NOT BE LEGAL OR AVAILABLE IN YOUR STATE. VEHICLE PHOTOS MAY REFLECT EUROPEAN MODELS AND SPEC.



/piaggioamericas



/piaggio_americas