SAFETY DATA SHEET

1. Identification

Product identifier CannAg 20-20-20

Recommended use Agricultural / Horticultural Use - Micronutrient Fertilizer - Refer to product label

Recommended restrictions Refer to product label

Manufacturer

Company Name CannAg Inc.

1904 United Way, Suite #106

Medford, OR 97504

Telephone During Business Hours 1-541-973-2244

 Emergency phone number
 CHEMTREC (24 hours):
 1-800-424-9300

 USA, Canada, Puerto Rico
 1-800-424-9300

Virgin Islands 1-703-527-3887

International Maritime

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear

eye/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse

mouth. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

 Material name: CannAg 20-20-20
 SDS US

 Revision date: 11-15-2017
 1 / 8

Chemical name	Common name and synonyms	CAS number	%
Potassium Nitrate		7757-79-1	40 - < 50*
Urea		57-13-6	20 - < 30*
Mono potassium phosphate (MKP)		7778-77-0	3 - < 5*
EDTA, Disodium Copper(II) Salt		14025-15-1	< 1*
Manganese EDTA, disodium salt		15375-84-5	< 1*
Disodium Octaborate Tetrahydrate		12008-41-2	< 0.1*
Sodium Molybdate, Dihydrate		10102-40-6	< 0.1*
Other components below reportable levels	3		30 - < 40

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a

physician if symptoms develop or persist.

irritation.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell. Get medical attention if symptoms occur. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

Most important symptoms/effects, acute and delayed

Ingestion

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting

equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of dust from the spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Following product recovery, flush area with water. Sweep up or vacuum up spillage and collect in suitable container for disposal. Minimize dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Material name: CannAg 20-20-20 SDS US 2/8 Revision date: 11-15-2017

7. Handling and storage

Precautions for safe handling Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places

> where dust is formed. Do not taste or swallow. Avoid breathing dust. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

5 mg/m3

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)				
Components	Туре	Value		
Manganese EDTA,	Ceiling	5 mg/m3		

disodium salt (CAS 15375-84-5) Sodium Molybdate,

PEL Dihydrate (CAS 10102-40-6)

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form	
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.	_
,	TWA	2 mg/m3	Inhalable fraction.	
Sodium Molybdate,	TWA	0.5 mg/m3	Respirable fraction.	

Dihvdrate (CAS 10102-40-6)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)	TWA	1 mg/m3	Dust and mist.	
Manganese EDTA, disodium salt (CAS 15375-84-5)	STEL	3 mg/m3	Fume.	
•	TWA	1 mg/m3	Fume.	

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Face shield is recommended. Wear safety glasses with side shields (or goggles). Usetight fitting Eye/face protection

goggles if dust is generated.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. Respiratory protection not required.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

Material name: CannAg 20-20-20 SDS US 3/8

9. Physical and chemical properties

Appearance Powder. Solid. Physical state Powder. **Form** Color Light blue Odor None.

Not available. **Odor threshold** Not available. pН Salt-Out / Crystallization Temp Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density

Relative density

Not available.

Solubility(ies)

Solubility (water) soluble

Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation Prolonged inhalation may be harmful. Inhalation of dusts may cause respiratory irritation.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation. Dust in the eyes will cause irritation.

Material name: CannAg 20-20-20 SDS US

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

irritation.

Information on toxicological effects

Harmful if swallowed. Not known. **Acute toxicity**

Product	Species	Test Results
CannAg 20-20-20		
Acute		
Inhalation		
LD50	Rat	2000.001 mg/l estimated
Oral		
LD50	Mouse	44738.0195 mg/kg estimated
	Rabbit	2879.7803 mg/kg estimated
	Rat	27290.1582 mg/kg estimated
Components	Species	Test Results
Disodium Octaborate Tetrah	nydrate (CAS 12008-41-2)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Guinea pig	5300 mg/kg
	Rat	> 2000 mg/kg
		2 g/kg
Mono potassium phosphate	(MKP) (CAS 7778-77-0)	
Acute		
Oral		
LD50	Mouse	1700 mg/kg
Potassium Nitrate (CAS 775	57-79-1)	
Acute		
Oral		
LD50	Rabbit	1166 mg/kg
Urea (CAS 57-13-6)		
Acute		
Oral		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation. Dust in the eyes will cause irritation.

Respiratory or skin sensitization

Not available. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Material name: CannAg 20-20-20

SDS US 5/8 Revision date: 11-15-2017

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
CannAg 20-20-20			
Aquatic			
Crustacea	EC50	Daphnia	21209.8242 mg/l, 48 hours estimated
Fish	LC50	Fish	2169.9602 mg/l, 96 hours estimated
Components		Species	Test Results
EDTA, Disodium Coppe	er(II) Salt (CAS 14	025-15-1)	
Aquatic			
Fish	LC50	Channel catfish (Ictalurus punctatus)	838 mg/l, 96 hours
Potassium Nitrate (CAS	7757-79-1)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	1200 mg/l, 96 hours
Acute			
Fish	LC50	Fish	1378 - 3000 mg/l
Sodium Molybdate, Dih	ydrate (CAS 1010	2-40-6)	
Aquatic			
Crustacea	EC50	Tubificid worm (Tubifex tubifex)	42.48 - 65.64 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	> 79.8 mg/l, 96 hours
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Material name: CannAg 20-20-20 SDS US 6/8

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1) Listed. Manganese EDTA, disodium salt (CAS 15375-84-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous N

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Potassium Nitrate	7757-79-1	40 - < 50	
Monoammonium Phosphate (MAP)	7722-76-1	20 - < 30	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese EDTA, disodium salt (CAS 15375-84-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Potassium Nitrate (CAS 7757-79-1)

US. New Jersey Worker and Community Right-to-Know Act

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)

Manganese EDTA, disodium salt (CAS 15375-84-5)

Potassium Nitrate (CAS 7757-79-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Potassium Nitrate (CAS 7757-79-1)

US. Rhode Island RTK

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1) Manganese EDTA, disodium salt (CAS 15375-84-5)

Revision date: 11-15-2017 7 / 8

Potassium Nitrate (CAS 7757-79-1)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

16. Other information, including date of preparation or last revision

Revision date 11-15-2017

Disclaimer The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the

Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user

assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision Information Product and Company Identification: Product and Company Identification

Hazard(s) identification: Supplemental information

Composition / Information on Ingredients: Component Summary

Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Other information, including date of preparation or last revision: Disclaimer

Material name: CannAg 20-20-20